

NATURAL SOLV

Description:

New Technological breakthrough that has replaced hazardous chlorinated solvents. This new patented formula can be safely used in dip tanks, and parts cleaners as well as electric motors, steel coils, tin coils, steel wire rope, tools, printing presses, concrete and dumpsters. **NATURAL SOLV** has high dielectric strength of 25,000 volts, high flash point of 144° and will effectively clean grease, tar, adhesives, creosote, rubber burns, sludge and carbon.

Features:

Non-Chlorinated/Non-Water Soluable/Non-CFC's Solvent, Environmentally Friendly, 144° F Flash Point, and 25,000 Volt Dielectric Strength.

Benefits:

Contains no ozone depleting solvents, dries without leaving a residue, safer than flammable solvents, allows safe and complete energized degreasing.

Specifications:

Color	Clear
Viscosity	Water Thin
Flash Point	144° F
Dielectric Strength	25,000 Volts
Degreasing	Excellent
Evaporation Rate	N/E
Non-Chlorinated	Yes
Non-Fluorinated	Yes
Shelf Life	1 year minimum in original unopened container.
Specific Gravity	.767
Density	7.32 lbs/gal.
Odor	Citrus

Uses:

Concentrated safety solvent for degreasing mechanical equipment, electric motors, electrical generators, tools, machinery parts and metallic surfaces. **Natural Solv** removes oil deposits, grease and dirt. It can be used by brushing, wiping, spraying or through a dip tank operation.

Directions:

GENERAL: Apply by brushing, wiping or dip tank. Agitate to loosen soil and wipe clean or allow to air dry.

SOAK TANK CLEANING: Immerse parts to be cleaned and allow to soak. Remove parts and wipe or blow dry.

ELECTRICAL MOTORS: For large motors, spray directly into motor until clean. Blow motor dry with air and lubricate promptly. Small motors may be cleaned without disassembly by running submerged in a tank of solvent, removing and blowing dry. Bearings should be greased and oilers refilled.

Authorization and Safety:

WARNING: Harmful if swallowed. Avoid prolonged breathing of vapors. Keep out of reach of children. Avoid eye contact. Do not ingest.

FOR EYES: Flush thoroughly with water for 15 minutes. Get medical aid.

FOR INGESTION: Do not induce vomiting, give large quantities of water. Get medical aid immediately.

FOR SKIN: Remove contaminated clothing and wash skin thoroughly with soap and water.

NOTE: Do not heat the product. Do not mix with water or other solvents. Avoid contact with open flame or hot surfaces. Provide adequate ventilation and avoid prolonged breathing of vapors. Pre-test on plastic and painted surfaces.